

Department 19  
**Antique Tractor/Out of Field/Enhanced Tractor Pull**  
Superintendent: Rebecca Breezee 716-471-6679  
rsbbreezee@gmail.com



**Date: August 13, 2017**  
**Hook Fee: \$10.00 per hook**

**Pit Opens: 8:00 am**

**Registration Begins: 8:30 am**

**Driver Meeting: 9:15 am**

**Pull Starts 9:30 am**

General Rules and Regulations

1. Contestants must be 14 years of age or older. All contestants under 16 years of age must be able to safely back up to be hooked, pull chain tight safely, and know the tractor. Discretion to be made by the sled operator **prior** to tractor pull start time.
2. The following are grounds for disqualification, the possession or use of alcoholic beverages and/or illicit drugs, non-compliance with the event regulations, ignoring the official's directions, fighting or verbal abuse with any competition official or contestant.
3. Contest to be governed by the officials with all decisions final. An official has the right to stop and disqualify any tractor if it is not being operated in such a manner as would be considered safe.
4. All decisions of the officials are final. No appeals will be heard.
5. Each tractor may pull in the same class more than once with a different driver, however, the first pull is the only pull that will count for this tractor. The others are exhibition.
6. There will be given a 200 lb. driver allowance.
7. Pull track to be floating finish.
8. The tractor that pulls the sled the greatest distance will be the winner. In the event of a tie, a pull-off will determine the winner.
9. Pull position will be determined at the time of registration. Drivers will be given the option to **not** be the first puller. As much time as possible will be given to drivers to ensure they have enough time to put weight on for the next class.
10. The number 1 puller will be the test puller, and may take the first pull if the transfer sled is okay. If he/she does not want to take the first pull, he/she may re-pull in the 3<sup>rd</sup> pull position.. All decisions on re-pulls **must** be made before the tractor is unhooked from the sled.
11. If a tractor encounters a mechanical problem as they are hooking up or prior to hooking up, they may drop to last position in that class.
12. All pulls must start with a tight hitch; no jerking permitted. Contestants may be allowed 2 consecutive attempts and 50 feet to start the sled.
13. All tractors will be in park or neutral before hooking to sled.
14. All pulls made during a contest will be measured. The pull is over when forward motion stops or immediately upon signal of flagman.
15. No portion of the tractor may interfere with the hitch or sled during the pull.
16. The tractor must remain within the boundaries of the contest course during the pull or will be disqualified.
17. Any ballast or external parts lost while the tractor is hitched to the sled will be cause for disqualification. All weights must be safely secured. No loose weights.
18. No one is allowed on the track except track officials and contestants. One assistant will be allowed to assist the driver if needed. This assistant must be 18 years of age or older. Any violation of this rule will result in disqualification of the contestant.
19. At the discretion of the official, at any time, a tractor may be required to return to the scale to be reweighed and/or tech inspection, such as checking hitch height.
20. Crossing the track will be allowed, but **must** be done between pulls,
21. Drivers may add or leave weight classes as the day progresses, if the weight class has not begun.

**\*\*There will be a suggestion box the day of the pull at the sign in table. All suggestions will be taken into consideration for the 2018 pull.\*\***

**Section 1**  
**ANTIQUE TRACTOR PULL**

**2500      3000      3500      4000      4500      5000      5500      6000      6500      7000      7500      8000      8500      9000**

1. 1959 or older tractors only.
2. 3.5mph limit. No shifting of gears, however use of T.A. will be permitted. This **will** be enforced. The driver will hear a horn blow if he/she is over the limit. If the horn is blown **after** the 50 foot mark, the driver will be disqualified.
3. Tractors must have stock engine, frame, transmission, rear end and axle housing or manufacture's replacement. All tractors must have hood and grill in place and have stock appearance as intended by manufacturer.
4. RPM's at high idle must be manufacturer's recommendation. Stock engine RPM. 15% allowance for error. All tractors to have positive throttle stops.
5. No cut or altered tires. No spade lugged tractors allowed to compete.
6. No dual wheels. Tire size may be 2 sizes over stock.
7. No alcohol or other exotic fuels. Diesel tractors run diesel only. Gas tractors run gas only.
8. Water injection will not be allowed.
9. No intercoolers are allowed unless factory equipped.
10. Turbos, blowers and P-pumps are not allowed unless they are factory equipment.
11. Minimum hitching point of 18 inches back from the center of the rear axle. A maximum of 20 inches height to hitch point from ground **if** you **do** have wheelie bars. However, if you **do not** have wheelie bars, a maximum height to hitch point from ground is 18 inches, for safety reasons.
12. The use of torque convertors, automatic shifts, etc, **will not** be permitted, unless factory equipped.
13. Wheelie bars are **recommended**. Wheelie bars to hold the weight of the tractor in its heaviest weight class. It is recommended that the wheelie bars not be attached to the drawbar. Wheelie bars must extend a minimum of 32" behind the center of the rear axle. The pads must not be more than 10" off the ground, must be a minimum of 5 inches square, and a minimum of 20" apart. The crossbar on the wheelie bars must not be in contact with hitch chain to the sled (should be below hitch chain to the sled). If wheelie bars are **not** utilized, the front wheels of the tractor are not allowed to exceed 16 inches off the ground during a pull. This allowance will be up to the flagman's discretion.
14. In a pull off, the 50' rule does not apply.
15. Tractors entered in the antique class, **are** allowed to pull in out of field.
16. No enhanced tractors permitted.

**Section 2**  
**OUT OF FIELD TACTOR PULL**

**2500      3000      3500      4000      4500      5000      5500      6000      6500      7000      7500      8000      8500      9000      BIG DOG**

1. 4 mph speed limit. No shifting of gears, however use of T.A. will be permitted. The driver will hear a horn blow if he/she is over the limit. If the horn is blown **after** the 50 foot mark, the driver will be disqualified.
2. Tractors must have stock engine, frame, transmission, rear end and axle housing or manufacture's replacement. All tractors must have hood and grill in place and have stock appearance as intended by manufacturer.
3. RPM's at high idle must be manufacturer's recommendation. A 15% margin of error will be permitted. All tractors to have a positive throttle stops.
4. No cut or altered tires. No spade lugged tractors allowed to compete.
5. No dual wheels. Tire size may be 2 sizes over stock.
6. No alcohol or other exotic fuels. Diesel tractors run diesel only. Gas tractors run gas only.
7. Water injection will not be allowed.
8. No intercoolers are allowed unless factory equipped.
9. Turbos, blowers and P-pumps are not allowed unless they are factory equipment.
10. Minimum hitching point of 18 inches back from the center of the rear axle. A maximum of 20 inches height to hitch point from ground **if** you **do** have wheelie bars. However, if you **do not** have wheelie bars, a maximum height to hitch point from ground is 18 inches, for safety reasons.
11. The use of torque converters, automatic shifts, etc, **will** be permitted when factory equipped.
12. Wheelie bars are **recommended**. Wheelie bars to hold the weight of the tractor in its heaviest weight class. It is recommended that the wheelie bars not be attached to the drawbar. Wheelie bars must extend a minimum of 32" behind the center of the rear axle. The pads must not be more than 10" off the ground, must be a minimum of 5 inches square, and a minimum of 20" apart. The crossbar on the wheelie bars must not be in contact with hitch chain to the sled (should be below hitch chain to the sled). If wheelie bars are **not** utilized, the front wheels of the tractor are not allowed to exceed 16 inches off the ground during a pull. This allowance will be up to the flagman's discretion.

13. The 50' rule will apply except in the event of a pull off. In a pull off, the 50' rule does not apply.

### Section 3

#### ENHANCED ANTIQUED TRACTOR PULL

4000    4500    5000    5500    6000    6500    7000    7500    8000

1. No speed limit, any gear. No shifting of gears or T.A. will be permitted.
2. All tractors in enhanced classes must have stock appearance as intended by the manufacturer.
3. RPM's at high idle must be manufacturer's recommendation. A 30% margin of error will be permitted. All tractors to have positive throttle stops.
4. Cut or altered tires will be permitted.
5. Diesel tractors run diesel only. Gas tractors run gas only.
6. Water injection will not be allowed
7. No intercoolers are allowed unless factory equipped.
8. Turbos, blowers and P-pumps are not allowed unless they are factory equipment.
9. Minimum hitching point of 18 inches back from the center of the rear axle. A maximum of 20 inches height to hitch point from ground.
10. Wheelie bars are **mandatory**. Wheelie bars to hold the weight of the tractor in its heaviest weight class. It is recommended that the wheelie bars not be attached to the drawbar. Wheelie bars must extend a minimum of 32" behind the center of the rear axle. The pads must not be more than 10" off the ground, must be a minimum of 5 inches square, and a minimum of 20" apart. The crossbar on the wheelie bars must not be in contact with hitch chain to the sled (should be below hitch chain to the sled). If wheelie bars are **not** utilized, the front wheels of the tractor are not allowed to exceed 16 inches off the ground during a pull. This allowance will be up th the flagman's discretion.
11. All enhanced tractors must have fenders and engine side shields.
12. If a stock tractor wants to pull in this class they may do so. However, the stock tractors pulling in the enhanced class, **must** have wheelie bars for safety reasons. No exceptions.